



State Price Quote Specification  
**TYPE C77—BID AS 71 PASSENGER,  
DIESEL, GAS & PROPANE**  
Use this document to bid both non-lift and lift buses for 61–77 capacity.

Vendor: BRYSON

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
<b>Seating Capacity</b>	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>71</u> Capacity w/lift <u>61</u>		
<b>Alternator</b>	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>LEECE NEVILLE</u>	Mfr. <u>LEECE NEVILLE</u>	Mfr. <u>LEECE NEVILLE</u>
		Max. amps output w/o lift or A.C. <u>240</u>	Max. amps output w/o lift or A.C. <u>240</u>	Max. amps output w/o lift or A.C. <u>240</u>
		Max. amps output w/lift or A.C. <u>240</u>	Max. amps output w/lift or A.C. <u>240</u>	Max. amps output w/lift or A.C. <u>240</u>
<b>Auxiliary Fans</b>	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>DCM</u>		
<b>Axle—Front</b>	9,000 lb. minimum.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>HENDRICKSON</u>	Mfr. <u>HENDRICKSON</u>	Mfr. <u>HENDRICKSON</u>
		Capacity <u>12000</u>	Capacity <u>12000</u>	Capacity <u>12000</u>
<b>Axle—Rear</b>	19,000 lb. minimum.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>DANA</u>	Mfr. <u>DANA</u>	Mfr. <u>DANA</u>
		Capacity <u>21000</u>	Capacity <u>21000</u>	Capacity <u>21000</u>
<b>Axle Oil Seals</b>	Front and rear oil bath.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>SKF</u>	Mfr. <u>SKF</u>	Mfr. <u>SKF</u>
<b>Axle Ratio</b>	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
		Mfr. <u>DANA</u>	Mfr. <u>DANA</u>	Mfr. <u>DANA</u>
		Model no. <u>S21 5.29</u>	Model no. <u>S21 5.29</u>	Model no. <u>S21 5.29</u>
<b>Back-up Lights</b>	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4"</u>	Other: <input type="checkbox"/> Square inches _____	

ITEM		STATE-SUPPORTED SPECIFICATIONS		VENDOR SPECIFICALLY IDENTIFY ITEM BID	
		Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		Price of items bid will establish the state cost.	
Battery(ies)		1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
			Size/group w/o lift <u>GP 31</u> CCA <u>2100</u>	Size/group w/o lift <u>GP 31</u> CCA <u>2100</u>	Size/group w/o lift <u>GP 31</u> CCA <u>2100</u>
Battery Compartment		Battery storage tray must be large enough to accommodate batteries as specified in chassis section.		<input checked="" type="checkbox"/> Swing out	<input type="checkbox"/> Roll out
Brakes		Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.		Disc Front <input type="checkbox"/>	Rear <input type="checkbox"/>
				Drum Front <input checked="" type="checkbox"/>	Rear <input checked="" type="checkbox"/>
				Size Front <u>16.5"X5"</u>	Rear <u>16.5"X7"</u>
Door, Service		Power operated.		<input type="checkbox"/> Air	<input type="checkbox"/> Folding
				<input checked="" type="checkbox"/> Electric	<input type="checkbox"/> Split, Outward opening
				<input type="checkbox"/> Other	<input type="checkbox"/> Other
Engine		Diesel, Gas and Propane—210 H.P. minimum.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
			Engine mfr. <u>CUMMINS</u>	Engine mfr. <u>FORD</u>	Engine mfr. <u>FORD</u>
			Model or liters <u>B6.7L</u>	Model or liters <u>7.3L</u>	Model or liters <u>7.3L</u>
			Net torque <u>520 @ 1600</u> R.P.M	Net torque <u>468 @ 3900</u> R.P.M	Net torque <u>468 @ 3900</u> R.P.M
		Net H.P. <u>220 @ 2400</u> R.P.M		Net H.P. <u>350 @ 3900</u> R.P.M	Net H.P. <u>350 @ 3900</u> R.P.M
Engine Heater		Engine manufacturer's recommended in-block heater.		Watts <u>750</u>	Volts <u>120</u>
				Mfr. <u>PHILLIPS</u>	
Engine Temperature		To be controlled electronically, by fan clutch/drive, or shutters.		Mfr. <u>HORTON</u>	<input type="checkbox"/> Electronic
				<input checked="" type="checkbox"/> Fan clutch	<input type="checkbox"/> Shutters
Fuel Tank		Diesel—100 gallon minimum. Gas and Propane—60 gallon minimum.	<b>Diesel</b>	<b>Gas</b>	<b>Propane</b>
			Capacity <u>100 GALLONS</u>	Capacity <u>100 GALLONS</u>	Capacity <u>69 GALLONS</u>

State Price Quote Specification <b>TYPE C77—BID AS 71 PASSENGER, DIESEL, GAS &amp; PROPANE</b> Use this document to bid both non-lift and lift buses for 61–77 capacity.		Vendor: <u>BRYSON</u>
ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>90,000 &amp; 50,000</u> Center B.T.U. <u>50,000</u> Rear B.T.U. <u>50,000</u> Total B.T.U. <u>240,000</u>
Hood	Tilt.	<input checked="" type="checkbox"/> Fiberglass <input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>MUSIC WAVE</u> Model No. <u>MFG STD</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>356"</u> w/lift <u>356"</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28"</u> w/lift <u>28.5"</u>
Steering Wheel	Tilt and telescoping column.	Check if as specified
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>SMI</u>
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>KUHMO</u> Size <u>11R 22.5</u> Load range <u>H</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>16</u>

State Price Quote Specification		Vendor: <u>BRYSON</u>	
<b>TYPE C77—BID AS 71 PASSENGER, DIESEL, GAS &amp; PROPANE</b>			
Use this document to bid both non-lift and lift buses for 61–77 capacity.			
ITEM			
ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	<b><i>Diesel</i></b>	<b><i>Gas</i></b>
		Mfr. <u>ALLISON</u>	Mfr. <u>FORD</u>
		Model no. <u>2500 PTS</u>	Model no. <u>6R140</u>
		Net input <u>660</u>	Net input <u>800</u>
		<b><i>Propane</i></b>	
		Net input <u>800</u>	Net input H.P. <u>400</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>KENWOOD</u>	
		Model No. <u>NX3720</u>	
Wheels	6 to be compatible with tire size.	Size <u>22.5"</u>	
		Rim width <u>8.5"</u>	
<b>SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY</b>			
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u>	
		Model No. <u>NCL919-FIB2</u>	
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u>	
		Model No. <u>Q-8106-L2</u>	
<b>ADDITIONAL REQUIREMENTS—CHASSIS AND BODY</b>			
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input checked="" type="checkbox"/>	
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input checked="" type="checkbox"/>	
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>	

State Price Quote Specification		Vendor: <u>BRYSON</u>
<b>TYPE C77—BID AS 71 PASSENGER, DIESEL, GAS &amp; PROPANE</b>		
Use this document to bid both non-lift and lift buses for 61–77 capacity.		
ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> <li>• Chassis lubrication.</li> <li>• Check fluid levels: verify all are at recommended full levels.</li> <li>• Cooling system protected at -20°F.</li> <li>• Interior and exterior will be clean (including glass).</li> <li>• All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery.</li> <li>• All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2022-2023

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION  
TYPE C77— BID AS 71 PASSENGER (DIESEL)**

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.		REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated delivery date to school district from time purchase order is received: <u>150-210</u>  <u>DAYS ARO</u>	
		Firm where engine and chassis can be serviced or repaired and parts obtained: <u>BRYSON</u>	
		Firm where body can be serviced or repaired and parts obtained: <u>BRYSON</u>	

**BODY**

MAKE <b>BLUE BIRD</b>	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>356"</u> w/lift <u>356"</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>61</u>
MODEL <b>BBCV 3303</b>	YEAR 2024	Seat color: <u>BROWN</u> Floor color: <u>BLACK</u>	Overall vehicle length (inches): w/o lift <u>470.29"</u> w/lift <u>470.29"</u>

**CHASSIS**

**ENGINE**

MAKE <b>BLUE BIRD</b>	Warranty: Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER CUMMINS	Torque: <u>520</u> @ <u>1600</u> RPM H.P.: <u>220</u> @ <u>2400</u> RPM
MODEL <b>BBCV 3303</b>	YEAR 2024	Wheel base: <u>273"</u>	MODEL B6.7L
		Warranty: Years <u>5</u> Miles <u>100,000</u>	YEAR 2024
		Speeds forward: <u>5</u>	C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>DIESEL</u>
<b>TRANSMISSION</b>		Warranty: Years <u>7</u> Miles <u>UNLIMITED</u>	Battery type/grp: <u>31</u> <u>31</u>
MANUFACTURER <b>ALLISON</b>		Number of cylinders: <u>6</u> Inline <u>X</u> V-type _____	Number batteries: <u>3</u> <u>3</u>
MODEL <b>2500 PTS</b>			Total CCA: <u>2100</u> <u>2100</u>

**QUOTED PRICE**

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Diesel Bid—w/o lift \$ 156,240.00

Diesel Bid—w/lift \$ 167,928.00

VENDOR REPRESENTATIVE'S SIGNATURE \_\_\_\_\_

DATE \_\_\_\_\_



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2022-2023

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION  
TYPE C77— BID AS 71 PASSENGER (GAS)**

VENDOR'S COMPANY NAME <b>BRYSON SALES &amp; SERVICE OF WASHINGTON, INC.</b>		REPRESENTATIVE'S NAME <b>BRANDON BRYSON</b>	TELEPHONE NUMBER <b>425-953-2820</b>
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated delivery date to school district from time purchase order is received: <u>150 - 210</u>  <u>DAYS ARO</u>	
		Firm where engine and chassis can be serviced or repaired and parts obtained: <u>BRYSON</u>  Firm where body can be serviced or repaired and parts obtained: <u>BRYSON</u>	

**BODY**

MAKE <b>BLUE BIRD</b>	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>356"</u> w/lift <u>356"</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>61</u>
MODEL <b>BBCV 3303</b>	YEAR <u>2024</u> Seat color: <u>BROWN</u> Floor color: <u>BLACK</u>		Overall vehicle length (inches): w/o lift <u>470.29"</u> w/lift <u>470.29"</u>

**CHASSIS**

**ENGINE**

MAKE <b>BLUE BIRD</b>	Warranty: Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER <b>FORD</b>	Torque: <u>468</u> @ <u>3000</u> RPM H.P.: <u>350</u> @ <u>3900</u> RPM
MODEL <b>BBCV 3303</b>	YEAR <u>2024</u> Wheel base: <u>273"</u>	MODEL <b>6R140</b>	YEAR <u>2024</u> C.I.D. or Liters: <u>7.3L</u> Fuel type: <u>GAS</u>
<b>TRANSMISSION</b>		Warranty: Years <u>5</u> Miles <u>UNLIMITED</u>	Battery type/grp: <u>31</u> <u>31</u> Number batteries: <u>3</u> <u>3</u>
MANUFACTURER <b>FORD</b>	Speeds forward: <u>6</u>		
MODEL <b>6R140</b>	Warranty: Years <u>5</u> Miles <u>UNLIMITED</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	Total CCA: <u>2100</u> <u>2100</u>

**QUOTED PRICE**

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ 150,015.00

Gas Bid—w/lift \$ 161,630.00

VENDOR REPRESENTATIVE'S SIGNATURE \_\_\_\_\_

DATE  
\_\_\_\_\_



Washington Office of Superintendent of  
**PUBLIC INSTRUCTION**  
2022-2023

STUDENT TRANSPORTATION  
Old Capitol Building  
PO BOX 47200  
Olympia, WA 98504-7200  
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION**  
**TYPE C77—BID AS 71 PASSENGER (PROPANE)**

VENDOR'S COMPANY NAME BRYSON SALES & SERVICE OF WASHINGTON, INC.		REPRESENTATIVE'S NAME BRANDON BRYSON	TELEPHONE NUMBER 425-953-2820
ADDRESS 2407 GIBSON RD. EVERETT, WA 98204		Estimated delivery date to school district from time purchase order is received: <u>150 – 210</u>  <u>DAYS ARO</u>	
		Firm where engine and chassis can be serviced or repaired and parts obtained: <u>BRYSON</u>	
		Firm where body can be serviced or repaired and parts obtained: <u>BRYSON</u>	

**BODY**

MAKE <b>BLUE BIRD</b>	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>356"</u> w/lift <u>356"</u>	Equipped seating capacity: w/o lift <u>71</u> w/lift <u>61</u>
MODEL <b>BBCV 3303</b>	YEAR <u>2024</u>	Seat color: <u>BROWN</u> Floor color: <u>BLACK</u>	Overall vehicle length (inches): w/o lift <u>470.29"</u> w/lift <u>470.29"</u>

**CHASSIS**

**ENGINE**

MAKE <b>BLUE BIRD</b>	Warranty: Years <u>1</u> Miles <u>12,000</u>	MANUFACTURER FORD	Torque: <u>468</u> @ <u>3900</u> RPM H.P.: <u>320</u> @ <u>3900</u> RPM
MODEL <b>BBCV 3303</b>	YEAR <u>2024</u>	Wheel base: <u>273"</u>	MODEL 7.3L V8
		YEAR <u>2024</u>	C.I.D. or Liters: <u>7.3L</u> Fuel type: <u>PROPANE</u>
<b>TRANSMISSION</b>		Warranty: Years <u>5</u> Miles <u>UNLIMITED</u>	Battery type/grp: <u>31</u> <u>31</u>
MANUFACTURER <b>FORD</b>	Speeds forward: <u>6</u>	Number batteries: <u>3</u> <u>3</u>	
MODEL <b>6R140</b>	Warranty: Years <u>5</u> Miles <u>UNLIMITED</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	Total CCA: <u>2100</u> <u>2100</u>

**QUOTED PRICE**

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ 157,935.00

Propane Bid—w/lift \$ 167,479.00

VENDOR REPRESENTATIVE'S SIGNATURE

DATE



State Price Quote Specification		Vendor: <u>BRYSON</u>	
<b>DISTRICT-SUPPORTED OPTIONS</b>			
<input type="checkbox"/> C60 <input checked="" type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84			
Use this document to bid both non-lift and lift buses.			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>40</u>	
		Cost \$ <u>12,120.00</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>MCC AC-1IW1IW122 96,000 BTU</u>	
		Cost <u>11,274.00</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>N/A</u>	
<input type="checkbox"/> CNG		<input type="checkbox"/> CNG Cost \$ <u>N/A</u>	
<input type="checkbox"/> Electric		<input type="checkbox"/> Electric Cost \$ <u>SEE 1394-5 TYPE C ELECTRIC</u>	
Alternator	Available options.	Cost \$ <u>INCLUDED</u> Capacity <u>240 AMP</u>	
		Cost \$ <u>506.00</u> Capacity <u>280 AMP</u>	
		Cost \$ <u>721.00</u> Capacity <u>325 AMP</u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>215.00</u>	
		Type D: Cost \$ <u>N/A</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>ECCO VARIABLE DB</u>	
		Cost \$ <u>230.00</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>0.00</u>	Deduct \$ <u>862.00</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,888.00</u>	Disc Deduct \$ <u>N/A</u>
		Drum Cost \$ <u>INCLUDED</u>	Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>INCLUDED</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>459.00</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	<b>Non-Air</b>	<b>Air</b>
		Mfr. <u>NATIONAL</u>	Mfr. <u>NATIONAL</u>
		Cost \$ <u>INCLUDED</u>	Cost \$ <u>276.00</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>AMEREX VH25ABC 4 NOZZLE</u>	
		Cost \$ <u>5,487.00</u>	
Floor Color	Nonstandard color.	Cost \$ <u>459.00</u>	

State Price Quote Specification		Vendor: <u>BRYSON</u>	
<b>DISTRICT-SUPPORTED OPTIONS</b>			
<input type="checkbox"/> C60 <input checked="" type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84			
Use this document to bid both non-lift and lift buses.			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity (CNG only).	Size: <u>N/A</u>	Cost \$ <u>N/A</u>
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>N/A</u>	Cost \$ <u>N/A</u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>98 GALLON</u>	Cost \$ <u>2,500.00</u>
Headlights	Halogen.	Cost \$ <u>INCLUDED</u>	
Headlights	L.E.D.	Cost \$ <u>N/A</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>ESPAR</u>	Model: <u>TTC 17,000 BTU</u>
		Cost \$ <u>2,067.00</u>	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>N/A</u>
		Engine compartment	Cost \$ <u>N/A</u>
		Full acoustical headliner	Cost \$ <u>936.00</u>
Retarder	Manufacturer's standard.	Driveline <input checked="" type="checkbox"/>	Cost \$ <u>17,000.00</u>
		Exhaust <input checked="" type="checkbox"/>	Cost \$ <u>110.00</u>
		Transmission <input type="checkbox"/>	Cost \$ <u>N/A</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>689.00 PER SEAT</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>16,360.00</u>	
		Capacity <u>46</u>	
		3 by 2 Cost \$ <u>19,041.00</u>	
		Capacity <u>60</u>	
		3 by 3 Cost \$ <u>20,401.00</u>	
		Capacity <u>71</u>	

State Price Quote Specification <b>DISTRICT-SUPPORTED OPTIONS</b> <input type="checkbox"/> C60 <input checked="" type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84 Use this document to bid both non-lift and lift buses.		Vendor: <u>BRYSON</u> _____	
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left-side <u>16</u> cubic feet.	
		Cost \$ <u>1,074.00</u>	
		Right-side <u>28.4</u> cubic feet.	
		Cost \$ <u>1,687.00</u>	
Strobe Light	Exterior roof mounted white strobe light.	Push-thru <u>N/A</u> cubic feet.	
		Cost \$ <u>N/A</u>	
		Mfr. <u>ECCO</u>	
		Model No. <u>7460 LED CLEAR LENS</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Cost \$ <u>223.00</u>	
		Mfr. <u>BLUE BIRD</u>	
		Model No. <u>DA01</u>	
Suspension	Air ride (Air brake system only).	Cost \$ <u>199.00</u>	
		<b>Front</b>	<b>Rear</b>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>1,158.00</u>	Cost \$ <u>1,649.00</u>
		Cost \$ <u>84.00</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>ON SPOT</u>	
		Cost \$ <u>3,490.00</u>	
Traction Device	Sanders.	Capacity <u>100 LBS.</u>	
		Cost \$ <u>3,600.00</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>ALLISON</u>	
		Model No. <u>3000 PTS</u>	
		Cost \$ <u>6,573.00</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>BLUE BIRD</u>	Cost \$ <u>691.00</u>
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>SEON</u>	
		Model No. <u>TH-4</u>	
		Cost \$ <u>3,464.00</u>	How many cameras <u>4</u>

State Price Quote Specification		Vendor: <u>BRYSON</u>	
<b>DISTRICT-SUPPORTED OPTIONS</b>			
<input type="checkbox"/> C60 <input checked="" type="checkbox"/> C77 <input type="checkbox"/> D60 <input type="checkbox"/> D84 Use this document to bid both non-lift and lift buses.			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	<b>Stand Alone System</b>	<b>Added to Interior System</b>
		Mfr. <u>SEON</u>	Mfr. <u>SEON</u>
		Model No. <u>TH-4</u>	Model No. <u>TH-4</u>
		Cost \$ <u>1,966.00</u>	Cost \$ <u>453.00</u>
Warning Light Monitor	16 light monitoring system.	How many cameras <u>1</u>	How many cameras <u>1</u>
		<b>Incandescent</b>	<b>LED Lights</b>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Cost \$ <u>199.00</u>	Cost \$ <u>199.00</u>
		Mfr. <u>Q-STRAINT</u>	
		Model No. <u>Q-8106-L2</u>	
Windows	Laminated passenger-compartment side or rear glass.	Cost per station \$ <u>598.00</u>	
		Side Cost \$ <u>3,514.00</u>	
		Rear Cost \$ <u>1,490.00</u>	
Windows	Tinted.	Both Cost \$ <u>5,004.00</u>	
		Cost \$ <u>INCLUDED</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>601.00</u>	