

State Price Quote Specification
TYPE A— ELECTRIC
 Use this document to bid both non-lift and lift buses.

PART I (cont.)

Vendor: RWC Group

Mfr.: Collins

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front <input checked="" type="checkbox"/> Rear <input checked="" type="checkbox"/> Drum Front <input type="checkbox"/> Rear <input type="checkbox"/> Size Front <u>13.58</u> Rear <u>13.58</u>
Doors, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric <input checked="" type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Front B.T.U. <u>22k</u> Rear B.T.U. <u>60k</u> Total B.T.U. <u>80k</u>
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____
Motor	160 H.P. minimum.	Engine Mfr. <u>Parker Hannifin</u> Model <u>GVM310-250</u> Net torque <u>1190 Nm @ 2200</u> R.P.M. Net H.P. <u>394 @ 3100</u> R.P.M.
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>Jensen</u> Model No. <u>JCV1640BT</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>184</u> w/lift <u>184</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28</u> w/lift <u>26</u>

State Price Quote Specification
TYPE A— ELECTRIC
 Use this document to bid both non-lift and lift buses.

PART I (cont.)
 Vendor: RWC Group

 Mfr.: Collins

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Steering Wheel	Tilt.	Check if as specified <input checked="" type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Koroseal</u>
Tires	6 first quality, radial ply.	Mfr. <u>Hankook</u> Size <u>LT225-75R16E</u> Load range <u>E</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>N/A</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u> Model No. <u>F-5011</u>
Wheels	6 to be compatible with tire size.	Size <u>16</u> Rim width <u>6.5</u>
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NCL917IB</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1</u>

Vendor: RWC Group

Mfr.: Collins

State Price Quote Specification
TYPE A— ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—ELECTRIC

VENDOR'S COMPANY NAME RWC Group	REPRESENTATIVE'S NAME Tom Hartman	TELEPHONE NUMBER 602-377-4401
ADDRESS 600 N. 75th Ave. Phoenix, AZ 85043	Estimated delivery date to school district from time purchase order is received: _____ 180 Days ARO	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____ Any Ford dealer	
	Firm where body can be serviced or repaired and parts obtained: _____ RWC Group (4 locations in WA)	

BODY			
MAKE Collins		Warranty: Years <u>5</u> Miles <u>100k</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>184</u> w/lift <u>184</u>
MODEL DE516	YEAR 2023	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Equipped seating capacity: w/o lift <u>21</u> w/lift <u>18+1</u> Overall vehicle length (inches): w/o lift <u>290</u> w/lift <u>290</u>

CHASSIS		MOTOR	
MAKE Ford Motor Company		Warranty: Years <u>3</u> Miles <u>36K</u>	MANUFACTURER Parker Hannifin Torque: <u>1190</u> @ <u>2200</u> RPM H.P.: <u>394</u> @ <u>3100</u> RPM
MODEL E-450	YEAR 2023	Wheel base: <u>158</u>	MODEL GVM310-250 YEAR 2022 Fuel type: <u>Elec</u>
BATTERIES			Warranty: Years <u>5</u> Miles <u>100K</u>
12 Volt Battery type/grp: <u>AGM 65</u>	Propulsion Number batteries: <u>3</u>	Total KWH: <u>127</u>	
Number batteries: <u>1</u>			
Total CCA: <u>900</u>			

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Electric Bid—w/o lift \$ <u>226,152</u>	Electric Bid—w/lift \$ <u>231,093</u>
VENDOR REPRESENTATIVE'S SIGNATURE 	DATE <u>8-11-21</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Vendor: RWC Group

Mfr.: Collins

Use this document to bid both non-lift and lift buses.

CHASSIS			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs or under GVWR chassis.	Deduct <u>N/A</u>	
		Mfr. <u>N/A</u>	
		Capacity w/o lift <u>N/A</u>	
		Dual Wheel <u>N/A</u>	
		Single Wheel <u>N/A</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>American Cooling Tech 55k</u> Cost \$ <u>3,600</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Superior Signals</u> Cost \$ <u>110</u>	
Color	Exterior white roof.	Cost \$ <u>Standard</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>N/A</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Opti-Luxx</u> Model No. _____ Cost \$ <u>191</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>Checkmate</u> Model No. <u>EP1</u> Cost \$ <u>264</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>62</u>	Deduct \$ _____

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift buses.

PART II (cont.)

Vendor: RWC Group

Mfr.: Collins

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>2,646</u> How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>2,439</u> How many cameras <u>1</u>	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>694</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>166</u>	Cost \$ <u>487</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1</u> Cost per station \$ <u>822</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>350</u> Rear Cost \$ <u>72</u> Both Cost \$ <u>422</u>	
Windows	Tinted.	Cost \$ <u>375</u>	



State Price Quote Specification
TYPE A—ELECTRIC
Use this document to bid both non-lift and lift buses.

Vendor: RWC Group

Mfr.: Collins

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Capacity w/o lift <u>21</u> Capacity w/lift <u>18+1</u>
Axle—Front	Manufacturer's recommendation.	Mfr. <u>Ford Motor Company</u> Capacity <u>5000</u>
Axle—Rear	Manufacturer's recommendation.	Mfr. <u>Ford Motor Company</u> Capacity <u>9600</u>
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Mfr. <u>Ford Motor Company</u> Capacity <u>4.56:1</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>4"</u> Other: <input type="checkbox"/> Square inches _____
Battery(ies) Low Voltage	535 CCA 12 volt minimum w/o lift. 1070 CCA 12 volt minimum w/lift.	Number of batteries <u>1</u> CCA <u>950</u>
Battery(ies) Propulsion	Battery propulsion must meet a minimum of 80 kWh.	Number of batteries <u>3</u> kWh <u>127</u>

State Price Quote Specification
TYPE A— ELECTRIC
 Use this document to bid both non-lift and lift buses.

Vendor: RWC GroupMfr.: Collins

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front <input checked="" type="checkbox"/> Rear <input checked="" type="checkbox"/> Drum Front <input type="checkbox"/> Rear <input type="checkbox"/> Size Front <u>13.58</u> Rear <u>13.58</u>
Doors, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Folding <input checked="" type="checkbox"/> Electric <input checked="" type="checkbox"/> Split, Outward Opening <input type="checkbox"/> Other _____
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Front B.T.U. <u>22k</u> Rear B.T.U. <u>60k</u> Total B.T.U. <u>80k</u>
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Tail Lights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain _____
Motor	160 H.P. minimum.	Engine Mfr. <u>Parker Hannifin</u> Model <u>GVM310-250</u> Net torque <u>1190 Nm</u> @ <u>2200</u> R.P.M. Net H.P. <u>394</u> @ <u>3100</u> R.P.M.
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>Jensen</u> Model No. <u>JCV1640BT</u>
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>184</u> w/lift <u>184</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>28</u> w/lift <u>26</u>

State Price Quote Specification
TYPE A— ELECTRIC
 Use this document to bid both non-lift and lift buses.

PART I (cont.)

Vendor: RWC Group

Mfr.: Collins

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Steering Wheel	Tilt.	Check if as specified <input checked="" type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Koroseal</u>
Tires	6 first quality, radial ply.	Mfr. <u>Hankook</u> Size <u>LT225-75R16E</u> Load range <u>E</u>
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>N/A</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u> Model No. <u>F-5011</u>
Wheels	6 to be compatible with tire size.	Size <u>16</u> Rim width <u>6.5</u>
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun</u> Model No. <u>NCL917IB</u>
Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1</u>

State Price Quote Specification

TYPE A— ELECTRIC

Use this document to bid both non-lift and lift buses.

Vendor: RWC GroupMfr.: Collins

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified <input type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified <input type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2021-2022

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—ELECTRIC

VENDOR'S COMPANY NAME RWC Group	REPRESENTATIVE'S NAME Tom Hartman	TELEPHONE NUMBER 602-377-4401
ADDRESS 600 N. 75th Ave. Phoenix, AZ 85043	Estimated delivery date to school district from time purchase order is received: _____ 180 Days ARO	
	Firm where engine and chassis can be serviced or repaired and parts obtained: _____ Any Ford dealer	
	Firm where body can be serviced or repaired and parts obtained: _____ RWC Group (4 locations in WA)	

BODY				
MAKE Collins		Warranty: Years <u>5</u> Miles <u>100k</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>184</u> w/lift <u>184</u>	Equipped seating capacity: w/o lift <u>21</u> w/lift <u>18+1</u>
MODEL DE516	YEAR 2023	Seat color: <u>Gray</u> Floor color: <u>Black</u>		Overall vehicle length (inches): w/o lift <u>290</u> w/lift <u>290</u>

CHASSIS		MOTOR		
MAKE Ford Motor Company	Warranty: Years <u>3</u> Miles <u>36K</u>	MANUFACTURER Parker Hannifin	Torque: <u>1190</u> @ <u>2200</u> RPM H.P.: <u>394</u> @ <u>3100</u> RPM	
MODEL E-450	YEAR 2023	Wheel base: <u>158</u>	MODEL GVM310-250	YEAR 2022
BATTERIES		Warranty: Years <u>5</u> Miles <u>100K</u>		
12 Volt Battery type/grp: <u>AGM</u> <u>65</u>	Propulsion Number batteries: <u>3</u>			
Number batteries: <u>1</u>	Total KWH: <u>127</u>			
Total CCA: <u>900</u>				

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Electric Bid—w/o lift \$ <u>226,152</u>	Electric Bid—w/lift \$ <u>231,093</u>
VENDOR REPRESENTATIVE'S SIGNATURE 	DATE <u>8-11-21</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Vendor: RWC Group

Mfr.: Collins

Use this document to bid both non-lift and lift buses.

CHASSIS			
ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs or under GVWR chassis.	Deduct <u>N/A</u>	
		Mfr. <u>N/A</u>	
		Capacity w/o lift <u>N/A</u>	
		Dual Wheel <u>N/A</u>	
		Single Wheel <u>N/A</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>American Cooling Tech 55k</u> Cost \$ <u>3,600</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Superior Signals</u> Cost \$ <u>110</u>	
Color	Exterior white roof.	Cost \$ <u>Standard</u>	
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>N/A</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Opti-Luxx</u> Model No. _____ Cost \$ <u>191</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>Checkmate</u> Model No. <u>EP1</u> Cost \$ <u>264</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>62</u>	Deduct \$ _____

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift buses.

PART II (cont.)

Vendor: RWC Group

Mfr.: Collins

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>2,646</u> How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>2,439</u> How many cameras <u>1</u>	Mfr. <u>Seon</u> Model No. <u>TH4</u> Cost \$ <u>694</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>166</u>	Cost \$ <u>487</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u> Model No. <u>Q-8100-A1</u> Cost per station \$ <u>822</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>350</u> Rear Cost \$ <u>72</u> Both Cost \$ <u>422</u>	
Windows	Tinted.	Cost \$ <u>375</u>	