



Vendor: RWC Group

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID		
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.		
Seating Capacity	48 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>48</u>		
		Capacity w/lift <u>36+1</u>		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Diesel	Gas	Propane
		Mfr. <u>Leece-Neville</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
		Max. amps output w/o lift or A.C. <u>240</u>	Max. amps output w/o lift or A.C. <u>NA</u>	Max. amps output w/o lift or A.C. <u>NA</u>
		Max. amps output w/lift or A.C. <u>240</u>	Max. amps output w/lift or A.C. <u>NA</u>	Max. amps output w/lift or A.C. <u>NA</u>
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>Bergstrom</u>		
Axle—Front	8,000 lb. minimum.	Diesel	Gas	Propane
		Mfr. <u>Meritor/Dana</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
		Capacity <u>8,000</u>	Capacity <u>NA</u>	Capacity <u>NA</u>
Axle—Rear	17,500 lb. minimum.	Diesel	Gas	Propane
		Mfr. <u>Dana Spicer</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
		Capacity <u>19800</u>	Capacity <u>NA</u>	Capacity <u>NA</u>
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Diesel	Gas	Propane
		Mfr. <u>Conmet Spicer</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
Axle Ratio	Must comply with power and grade-ability formula. Refer to Washington State School Bus Specifications Manual.	Diesel	Gas	Propane
		Mfr. <u>Dana Spicer</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
		Model no. <u>5.57</u>	Model no. <u>NA</u>	Model no. <u>NA</u>
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input checked="" type="checkbox"/> Diameter <u>7</u> Inch Other: <input type="checkbox"/> Square inches _____		

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
		<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.	Size/group w/o lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>NA</u> CCA <u>NA</u>	Size/group w/o lift <u>NA</u> CCA <u>NA</u>
	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/lift <u>31</u> CCA <u>1900</u>	Size/group w/lift <u>NA</u> CCA <u>NA</u>	Size/group w/lift <u>NA</u> CCA <u>NA</u>
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	<input type="checkbox"/> Swing out		<input checked="" type="checkbox"/> Roll out
Brakes	Hydraulic disc. Refer to Washington State School Bus Specifications Manual.	Size	Front <u>70mm</u>	Rear <u>70mm</u>
Door, Service	Power operated.	<input type="checkbox"/> Air <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Other		<input type="checkbox"/> Folding <input checked="" type="checkbox"/> Split, Outward opening <input type="checkbox"/> Other
Engine	Diesel and Propane—180 H.P. minimum.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Engine mfr. <u>Cummins</u>	Engine mfr. <u>NA</u>	Engine mfr. <u>NA</u>
	Gas—210 H.P. minimum.	Model or liters <u>B6.7</u>	Model or liters <u>NA</u>	Model or liters <u>NA</u>
		Net torque <u>600</u> @ <u>1600</u> R.P.M	Net torque <u>NA</u> @ <u>NA</u> R.P.M	Net torque <u>NA</u> @ <u>NA</u> R.P.M
	Net H.P. <u>200</u> @ <u>2600</u> R.P.M	Net H.P. <u>NA</u> @ <u>NA</u> R.P.M	Net H.P. <u>NA</u> @ <u>NA</u> R.P.M	
Engine Heater	Engine manufacturers recommended in-block heater.	Watts <u>750</u>	Volts <u>120</u>	
		Mfr. <u>Phillips</u>		
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.	Mfr. <u>Borg Warner</u>	<input type="checkbox"/> Electronic	
		<input checked="" type="checkbox"/> Fan clutch	<input type="checkbox"/> Shutters	
Fuel Tank	Diesel and Gas—60-gallon minimum. Propane—largest available.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Capacity <u>65</u>	Capacity <u>NA</u>	Capacity <u>NA</u>

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>41,000</u>	
		Center B.T.U. <u>50,000</u>	
		Rear B.T.U. <u>50,000</u>	
		Total B.T.U. <u>141,000</u>	
Hood	Tilt.	<input checked="" type="checkbox"/> Fiberglass	<input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input checked="" type="checkbox"/> If not, explain. _____	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>Adayo</u>	
		Model No. <u>HA1102D623A</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>270.9</u> w/lift <u>270.9</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>31.21</u> w/lift <u>31.21</u>	
Steering Wheel	Tilt and telescoping column.	Check if as specified <input checked="" type="checkbox"/>	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>Koroseal</u>	
Tires	6 first quality, radial ply. No low profile tires.	Mfr. <u>Continental</u>	
		Size <u>11R22.5</u>	
		Load range <u>H</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>2.88</u>	

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Vendor: RWC Group

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID		
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.		
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	Diesel	Gas	Propane
		Mfr. <u>Allison</u>	Mfr. <u>NA</u>	Mfr. <u>NA</u>
		Model no. <u>2550 6 Spd</u>	Model no. <u>NA</u>	Model no. <u>NA</u>
		Net input <u>600</u>	Net input <u>NA</u>	Net input <u>NA</u>
		Net input H.P. <u>200</u>	Net input H.P. <u>NA</u>	Net input H.P. <u>NA</u>
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>ICOM</u>		
		Model No. <u>F5011</u>		
Wheels	6 to be compatible with tire size.	Size <u>22.5</u>		
		Rim width <u>8.25</u>		
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY				
Wheelchair Lift— Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>Braun Gen2</u>		
		Model No. <u>NL919FIB</u>		
Wheelchair/ Occupant Tie- down System— Installed	Must meet state specification.	Mfr. <u>Q-Straint</u>		
		Model No. <u>Q-8100-A1-SC</u>		

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input checked="" type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input checked="" type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input checked="" type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input checked="" type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input checked="" type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2023-2024

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C60—BID AS 48 PASSENGER (DIESEL)**

VENDOR'S COMPANY NAME RWC Group		REPRESENTATIVE'S NAME Tom Hartman	TELEPHONE NUMBER 602-377-4401
ADDRESS 600 North 75 th Avenue Phoenix, AZ 85043		Estimated delivery date to school district from time purchase order is received: 180 Days ARO _____	
		Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>Any IC or International Dealer</u>	
		Firm where body can be serviced or repaired, and parts obtained: <u>RWC Group (4 locations in WA)</u>	

MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlimit</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>270.9</u> w/lift <u>270.9</u>	Equipped seating capacity: w/o lift <u>48</u> w/lift <u>36+1</u>
MODEL PB110	YEAR 2025	Seat color: <u>Gray</u> Floor color: <u>Black</u>	Overall vehicle length (inches): w/o lift <u>384.9</u> w/lift <u>384.9</u>

CHASSIS		ENGINE	
MAKE IC Corporation	Warranty: Years <u>5</u> Miles <u>Unlimit</u>	MANUFACTURER Cummins	Torque: <u>600</u> @ <u>1600</u> RPM H.P.: <u>200</u> @ <u>2600</u> RPM
MODEL PB110	YEAR 2025	Wheebase: <u>218</u>	MODEL B6.7
TRANSMISSION		YEAR 2024	C.I.D. or Liters: <u>409</u> Fuel type: <u>Diesel</u>
MANUFACTURER Allison	Speeds forward: <u>6</u>	Warranty: Years <u>5</u> Miles <u>100k</u>	Battery type/grp: <u>31</u> <u>31</u>
MODEL 2550/2500	Warranty: Years <u>7</u> Miles <u>Unlimit</u>	Number of cylinders: <u>6</u> Inline <u>X</u> V-type _____	Number batteries: <u>2</u> <u>2</u> Total CCA: <u>1900</u> <u>1900</u>

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Diesel Bid—w/o lift \$ 135,754 Diesel Bid—w/lift \$ 141,484

VENDOR REPRESENTATIVE'S SIGNATURE

DATE

8-7-23



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2023-2024

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C60—BID AS 48 PASSENGER (GAS)**


VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____	
	Firm where body can be serviced or repaired, and parts obtained: _____	

BODY				
MAKE	Warranty: Years _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____	
MODEL	Miles _____	Seat color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____	
YEAR	Floor color: _____			

CHASSIS		ENGINE		
MAKE	Warranty: Years _____	MANUFACTURER	Torque: _____ @ _____ RPM	H.P.: _____ @ _____ RPM
MODEL	Miles _____	MODEL	YEAR	C.I.D. or Liters: _____
	Wheelbase: _____			Fuel type: _____
TRANSMISSION		Warranty: Years _____	Battery type/grp: _____	
MANUFACTURER	Speeds forward: _____	Miles _____	Number batteries: _____	
MODEL	Warranty: Years _____	Number of cylinders: _____	Total CCA: _____	
	Miles _____	Inline _____ V-type _____		

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ _____ Gas Bid—w/lift \$ _____

VENDOR REPRESENTATIVE'S SIGNATURE	DATE
	8-7-23



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2023-20234

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

**VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION
TYPE C60—BID AS 48 PASSENGER (PROPANE)**

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____	
	Firm where engine and chassis can be serviced or repaired, and parts obtained: _____	
	Firm where body can be serviced or repaired, and parts obtained: _____	

BODY

MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	SEAT	Seat color: _____ Floor color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____

CHASSIS

ENGINE

MAKE	Warranty: Years _____ Miles _____	MANUFACTURER	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheelbase: _____	MODEL
TRANSMISSION		Warranty: Years _____ Miles _____	C.I.D. or Liters: _____ Fuel type: _____
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____	Battery type/grp: Number batteries:
MODEL	Warranty: Years _____ Miles _____	Total CCA: _____	

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ _____ Propane Bid—w/lift \$ _____

VENDOR REPRESENTATIVE'S SIGNATURE

DATE

8-7-23

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: RWC Group

C60 **C77** **D60** **D84**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>32</u>	
		Cost \$ <u>15,800</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>TransAir</u>	
		Cost \$ <u>10,608</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all the requirements of FMVSS No. 305.	Mfr. <u>IC Corporation</u>	
		<input type="checkbox"/> Cost \$ <u>N/A</u>	
<input checked="" type="checkbox"/> Electric		<input checked="" type="checkbox"/> Electric Cost \$ <u>379,408 - 48p/384,966 - 36+1</u>	
Alternator	Available options.	Cost \$ <u>1,028</u>	Capacity <u>325</u>
		Cost \$ <u>N/A</u>	Capacity <u>N/A</u>
		Cost \$ <u>N/A</u>	Capacity <u>N/A</u>
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>Included</u>	
		Type D: Cost \$ <u>N/A</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>Ecco</u>	
		Cost \$ <u>123</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>Standard</u>	Deduct \$ <u>N/A</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,500</u>	Disc Deduct \$ <u>N/A</u>
		Drum Cost \$ <u>N/A</u>	Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>776</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>350</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. <u>Magnum</u>	Mfr. <u>National</u>
		Cost \$ <u>275</u>	Cost \$ <u>550</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>NA</u>	
		Cost \$ <u>NA</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: RWC Group

C60 C77 D60 D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Floor Color	Nonstandard color.	Cost \$ <u>419</u>	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>100</u>	Cost \$ <u>1,084</u>
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>N/A</u>	Cost \$ <u>N/A</u>
Headlights	Halogen.	Cost \$ <u>Standard</u>	
Headlights	L.E.D.	Cost \$ <u>1,368</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>Webasto</u>	Model: <u>Pro 90</u>
		Cost \$ <u>4,936</u>	
Noise Reduction	Exceeding minimum specifications.	Driver compartment	Cost \$ <u>159</u>
		Engine compartment	Cost \$ <u>268</u>
		Full acoustical headliner	Cost \$ <u>Included</u>
Retarder	Manufacturer's standard.	Driveline <input checked="" type="checkbox"/>	Cost \$ <u>13,378</u>
		Exhaust <input type="checkbox"/>	Cost \$ <u>N/A</u>
		Transmission <input type="checkbox"/>	Cost \$ <u>N/A</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ <u>1,050</u>	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ <u>14,280</u>	
		Capacity <u>32</u>	
		3 by 2 Cost \$ <u>N/A</u>	
		Capacity <u>N/A</u>	
		3 by 3 Cost \$ <u>15,390</u>	
		Capacity <u>48</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: RWC Group

C60 **C77** **D60** **D84**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left side <u>27.8</u> cubic feet.	
		Cost \$ <u>2,200</u>	
		Right-side <u>27.8</u> cubic feet.	
		Cost \$ <u>2,200</u>	
		Push-thru <u>N/A</u> cubic feet.	
Cost \$ <u>N/A</u>			
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>Ecco</u>	
		Model No. <u>6550C</u>	
		Cost \$ <u>217</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>IC</u>	
		Model No. <u>Leave no student behind</u>	
		Cost \$ <u>Included</u>	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ <u>N/A</u>	Cost \$ <u>1,233</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>117</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>On Spots</u>	
		Cost \$ <u>4,857</u>	
Traction Device	Sanders.	Capacity <u>10 gal</u>	
		Cost \$ <u>3,945</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>Allison</u>	
		Model No. <u>3000</u>	
		Cost \$ <u>5,388</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>Bendix Intellipark</u>	Cost \$ <u>500</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: RWC Group

C60 **C77** **D60** **D84**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>Seon</u>	
		Model No. <u>TH4</u>	
		Cost \$ <u>3,672</u> How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. <u>Seon</u>	Mfr. <u>Seon</u>
		Model No. <u>TH4</u>	Model No. <u>TH4</u>
		Cost \$ <u>1,398</u>	Cost \$ <u>915</u>
		How many cameras <u>1</u>	How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ <u>386</u>	Cost \$ <u>386</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-Straint</u>	
		Model No. <u>Q-8100-A1-SC</u>	
		Cost per station \$ <u>1,150</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>1,095</u>	
		Rear Cost \$ <u>272</u>	
		Both Cost \$ <u>1,367</u>	
Windows	Tinted.	Cost \$ <u>524</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>378</u>	